








Principles of Symmetry, Dynamics, and Spectroscopy  
 - W. G. Harter - Wiley (1993)

Chapter page index



Axioms:  
 for quantum theory, 4–5  
 for symmetry group operators, 65–67

Axis angles, *see* Darboux angles; Omega vector

Baker-Campbell-Hausdorff theorem, 705

Banach spaces, 37

Band gap, 99, 122

Band spectra:  
 for electrons, 115–129  
 for vibrations, 91–100

Band splitting, 123–128. *See also* Clusters and tunneling  
 approximate tunneling amplitude, 141

Beats, 74, 91, 687  
 in quantum transition, 735  
 in two-level resonance, 744–747  
 of 2D-model, 642–643  
 of forced classical oscillator, 506

Bethe, Hans, 383

Biedenharm, L. C., 437, 578, 683

Bincer, A., 578, 683

Birefringence, 76, 638, 642

Bloch equations, 750–752  
 dressed, 760

Bloch-Siegert corrections, 748–750

Block waves, 123, 125  
 for  $D_4$ , 194  
 for  $D_6$ , 199

“Bodyguards,” 168

Body reference frame, 157, 329, 365–367

Bohr orbitals, 115  
 for  $D_4$ , 194  
 for  $D_6$ , 199

Bohr quantization:  
 EBK-quantization, 718  
 for rotor, 611, 716

Bonding orbitals, 661–662

Boost operator, 705, 725

Born-Oppenheimer approximation, 539, 655

Boson operators, 303–305  
 for oscillator, 704  
 in derivation of coupling coefficients, 578–584  
 in derivation of rotation matrices, 351

Bra and ket vectors, *see* Dirac notation

Brillouin zone, 96, 116, 126  
 band boundary states, 120, 194, 199  
 symmetry properties, 270

Buckminsterfullerene ( $C_{60}$ ), 237

Bulk modulus, 482

$C_2$  group, 69, 658

$C_2H_2$ ,  $C_2H_4$ , 677

$C_3$  group, 84

$C_{3v}$ , 151

$C_4H_6$ ,  $C_6H_6$ , 678

$C_{4v}$ , 158

$C_8H_8$  (spectra by Pine), 623

$CH_4$  (spectra by Pine), 264

$C_n$  groups, 91

C-matrix, *see* Crossing matrix

Canonical coordinates, 36, 301

Central operators, *see* Class operators

CG coefficients, *see* Clebsch-Gordan

Change of basis, 14

Character formulas, 184–189  
 for eigenvalues, 189  
 for irrep frequency, 187

Characters, *see also* Appendix F.4 and G.5  
 of  $C_1$  to  $C_6$ , 94  
 of  $C_2$ , 80, 114  
 of  $C_3$ , 86  
 of  $C_{3v}$ , 186  
 of  $C_{4v} \sim D_4$ , 191  
 of  $C_n$ , 91–94  
 of  $D_2$ , 107, 111  
 of  $O \sim T_d$ , 233  
 of  $O_h$ , 235  
 of  $R_3$ , 384  
 of spin-1/2  $D_2$ , 411  
 of spin-1/2  $D_6$ , 409  
 of spin-1/2  $O$ , 414

Circular polarization, *see also* Moving waves  
 coordinates R, L, 638  
 related to plane, 183, 250, 349, 393, 571, 637

Class algebra:  
 of  $C_{3v} \sim D_3$ , 159  
 of  $C_{4v} \sim D_4$ , 190  
 of  $O \sim T_d$ , 232

Classes, 159  
 of  $C_{3v} \sim D_3$ , 153, 159  
 of  $C_{4v} \sim D_4$ , 158, 190  
 of  $O \sim T_d$ , 229

Class idempotents, 162, 163  
 relation to characters, 185, 829

Class operators, 159, 160

Clebsch-Gordan coefficients (finite group):  
 chain labeled for  $O \supset D_3 \supset C_2$ , 461–463,  
 818–819  
 chain labeled for  $O \supset D_4 \supset D_2$ , 454–461,  
 816–817  
 defined for finite groups, 452  
 for  $T_{1u} \otimes T_{1u}$ , 454  
 involving scalar, 464  
 orthonormality, 466  
 simply reducible, 486  
 symmetry, 465

Clebsch-Gordan coefficients ( $R_3$  or  $SU_2$ ):  
 $1 \otimes 1$ , 561  
 $\frac{1}{2} \otimes \frac{1}{2}$ , 557  
 formula, 584, 816  
 introduction, 553

Book page numbers

Ch.1 pdf. page numbers

Ch.2 pdf. page numbers

Ch.3 pdf. page numbers

Ch.4 pdf. page numbers


Ch.5 pdf. page numbers

Ch.6 pdf. page numbers


Ch.7 pdf. page numbers

Ch.8 pdf. page numbers

360 5 50  
 370 6 60  
 380 5 70  
 390 5 80  
 400 5 90  
 410 5 100  
 420 5 110  
 430 5 120  
 440 6 10  
 450 6 20  
 460 6 30  
 470 6 40  
 480 6 50  
 490 6 60  
 500 6 70  
 510 6 80  
 520 6 90  
 530 6 100  
 540 6 110  
 550 7 10  
 560 7 20  
 570 7 30  
 580 7 40  
 590 7 50  
 600 7 60  
 610 7 70  
 620 7 80  
 630 7 90  
 640 7 100  
 650 7 110  
 660 7 120  
 670 7 130  
 680 8 10  
 690 8 20  
 700 8 30  
 710 8 40  
 720 8 50




- Clusters of levels, *see also* Bands  
     for  $C_{12}$ , 116, 120  
     for  $C_3$  and  $C_4$ , 125  
     for  $D_4 \sim C_{4v}$ , 194  
     for  $D_6 \sim C_{6v}$ , 199  
     for  $O$ , 262–264  
     for rigid rotor, 614–615, 617  
     for semi-rigid rotor, 620–627  
     splitting amplitude, 141
- Coherent states:  
     of oscillator, 706  
     of radiation, 775  
     wavepacket, 709
- Coherent Stokes Raman scattering, 784–786
- Completeness, *see also* Orthonormality  
     conditions for amplitudes, 8, 25  
     of projectors, 23–25  
     of wavefunctions, 28, 29
- Configuration interaction, 670
- Conjugate subgroups, 255
- Conjugation:  
     complex, 3  
     of differential operators, 29  
     transpose conjugate ( $\dagger$ ), 8
- Conservation of angular momentum, 344  
     of total, 555
- Contact transformation, 687–690
- Coriolis coupling model, 634, 641
- Coriolis splitting, *see* Vibrational angular momentum
- Correlation between irreps, 196, 201
- Correlation tables, *see also* Appendix F.5  
     for  $D_2 \downarrow C_2$ , 615  
     for  $D_6 \downarrow C_6$  or  $C_2$ , 201  
     for  $O \downarrow D_2$ , 254  
     for  $O \downarrow D_3$  or  $C_3$ , 253, 621  
     for  $O \downarrow D_4$  or  $C_4$ , 252, 621  
     for  $O_h \downarrow C_{2v}$ ,  $C_3$ , or  $C_{4v}$ , 245  
     for  $R_3 \downarrow D_6$ , 401, 402  
     for  $R_3 \downarrow O_h$ , 385, 403
- Coset factorization, 251–263
- Cosets, 161, 258
- Coulomb eigenstates, 425, 433
- Coulomb symmetry, 415
- Coupled oscillators, *see* Oscillator
- Coupling coefficients, *see* Clebsch-Gordon
- Creation operators, *see* Boson operators
- Crossing matrix, 137
- Cross product ( $\times$ ) of groups, *see* Outer product of groups
- Crystal field splitting, 382–415  
     compared to MO, 682  
     details for  $j = 2, 3$ , 598–602  
     for half-integer  $j$ , 404–415  
     for high  $j$ , 402–403, 415
- CSRS, *see* Coherent stokes raman scattering
- $D_2$ , 62, 105  
 $D_3$ , 151  
 $D_4$ , 158  
 $D_5$ , 825  
 $D_6$ , 196–202  
 $D_n$ , 202–205  
 $D_{2d}$  to  $D_{4d}$ , 202–204  
 $D_{2h}$  to  $D_{4h}$ , 202–204
- $D$ -functions, *see* Wigner  $D$ -Functions
- Darboux angles, 330–333  
     as 2D oscillation parameters, 635  
     as two-state parameters, 632, 740  
     conversion to Euler, 336–337, 354
- Davis, M. J., 712, 786, 787
- DC-Stark shifts, *see* Stark splitting
- DeLeon, N., 712, 786
- Delta functions, *see* Kronecker or Dirac
- Density matrix, 30
- Determinants, 47–51, 318
- Diagnolizable matrices, 52, 53
- Diagonalization, 15–28
- Dielectric constant, 513
- Differential operators, 40
- Dipole approximation, 497
- Dipole operators, *see also* Vector operators  
     electric, 276, 349, 497
- Dirac delta functions  $\delta(x,y)$ , 38
- Dirac notation:  
     bras and kets, 9–11  
     for classical problems, 32–36  
     wavefunctions, 37
- Direct product ( $\otimes$ ), 446–450. *See also*  
     Kronecker product
- Direct sum ( $\oplus$ ), 82, 443
- Dispersion relations, 95, 122
- Dorney, A. J., 683
- Double groups, 407. *See also* Spin- $\frac{1}{2}$  algebras
- Dressed eigenstates, 753–756
- Dual space, 21
- Eccentricity vector, 416
- Eigenchannel, 134
- Eigenvalues, 15  
     average derived by characters, 188  
     by wavepacket propagation, 711, 717  
     from secular equation, 17  
     generalized equation for, 34
- Eigenvectors, 15  
     from adjunct matrix, 27  
     from projection operator, 19–23
- Einstein A and B, 773
- Electromagnetic field:  
     classical theory, 503–523  
     quantum theory, 761–776  
     semiclassical theory, 722–738
- Electrostriction, 491
- Elementary matrix operators, 13




- Elementary matrix operators (*Continued*)  
 in  $U_3$ , 428  
 of group algebra, 167
- Energy bands, *see* Band spectra
- Euler angles, 324–330  
 as 2D oscillator coordinates, 635  
 as optical parameters, 641  
 as two-state coordinates, 630–631  
 conversion to Darboux by formula, 354  
 conversion to Darboux by slide rule,  
 336–337  
 mechanical definition, 325–327, 378–379
- Exchange integrals, 664
- External symmetry breaking, *see also* Stark;  
 Zeeman
- $O_h \supset C_4$ , 281  
 $O_h \supset C_{4v}$ , 276  
 $O_h \supset D_{4h}$ , 271
- Factored  $P$ -operators, 264–269  
 in SF<sub>6</sub> analysis, 288–294
- Factorization lemma, 575
- Fano, U., 682
- Faraday rotation, 642
- Fermi's golden rule, 733, 772
- Feynman, R. P., 54, 517, 633, 634
- Feynman's lever, 517
- Feynman-Vernon-Hellwarth picture, 633–634
- Fine structure:  
 for atoms, 565–566  
 for rotors, 614, 620
- Floquet's theorem, 123
- Fluorescence, 783
- Force matrix, 31. *See also* Acceleration matrix
- Foucault precession, 641
- Fourier analysis compared, 104, 118
- Fourier coefficients of potential, 118, 126
- Fourier transformation matrix, 39
- Franck-Condon distribution, 712
- Frequency of irreps, 84, 184  
 applied to two-particles, 451  
 character formula for, 187
- Frobenius reciprocity theorem, 264–268
- Gaussian wavepacket, 709–710  
 generation of eigenstates, 711–716
- Gelfand, I. M., 578, 683
- Generalized eigenvalue equation, 34  
 for molecular orbitals, 658, 664, 669
- Generators:  
 of contact transformation, 687  
 of finite groups, 192, 308  
 of  $R_3$ , 338–344
- Genuine modes, 182, 208. *See also* Normal  
 coordinates
- Golden ratio, 237
- Golden rule of Fermi, 733, 772
- Gordon, R. G., 360, 569, 683
- Group, *see also* Examples  $C_2$ ;  $C_3$ ; ...  $D_2$ ;  $D_3$ ;  
 $\dots O$ ;  $T_d$  etc.  
 axioms, 65–67  
 multiplication, 62  
 number of finite groups, 68  
 simplest non-Abelian, 151
- Group multiplication table, *see also*  
 Hamilton turns  
 for  $C_2$ , 69  
 for  $C_3$ , 85  
 for  $C_{3v} \sim D_3$ , 67, 172  
 for  $C_{4v} \sim D_4$ , 190  
 for  $D_2$ , 62  
 for  $O$ , 231, 794  
 formula for  $R_3 \sim U_2$ , 355
- Group velocity, 122, 690
- $H_2$ , 554; 654–673  
 $H_2^+$ , 654–662  
 $H_2O$ , 676–677
- Hamilton's characteristic function, 692, 711
- Hamilton's equations, 36, 302, 700  
 related to two-state Schrödinger, 634
- Hamilton's principle function, 691, 711, 716,  
 717
- Hamilton-Cayley:  
 equation (HC Eq), 18, 21–23  
 theorem, 18
- Hamilton-Jacobi equations, 694–695
- Hamiltonian:  
 function, 12, 13  
 matrix, 12  
 operator, 35
- Hamilton's turns, 154–157  
 nomogram for  $D_2$ , 411  
 nomogram for  $D_3$ , 157  
 nomogram for  $D_4$ , 191  
 nomogram for  $D_6$ , 405, 406  
 nomogram for  $O$ , 230, 231  
 $R_3 \sim SU_2$  rotational slide rule, 333–338  
 related to spinors, 353–357  
 showing class equivalence, 161
- Harmonic oscillator symmetry, 426
- Harmonic wavefunctions, *see also* Spherical  
 harmonics  
 for cubic symmetry, 386–394, 398–400, 470  
 for  $D_6$ , 400–402
- Harmonics, *see* Beats and vibrational  
 overtones
- Hecht, K. T., 619, 683
- Hecht Hamiltonian, 618–619
- Heitler-London model, 662–665
- Heller, E. J., 712, 786, 787
- Hermitian matrix, 15

- Book page numbers Ch.1 pdf. page numbers  
 Book page numbers Ch.2 pdf. page numbers  
 Book page numbers Ch.3 pdf. page numbers  
 Book page numbers Ch.4 pdf. page numbers  
 Book page numbers Ch.6 pdf. page numbers  
 Book page numbers Ch.7 pdf. page numbers  
 Book page numbers Ch.8 pdf. page numbers
- eigensolution properties, 38  
 Hexagonal symmetry, *see*  $D_6$   
 Hückel approximation, 678  
 Huygen's principle, 6, 8  
     semiclassical view, 701–703  
 Hyperfine states,  $H_2$ , 554–560
- $I$ , 237, 825  
 $I_h$ , 237  
 Icosahedron, *see*  $I$   
 Idempotent operators, *see also* Projection operators  
     commuting, 26, 109, 833–835  
     definition, 20  
 Idempotent splitting, *see* Splitting of idempotents  
 Identity matrix, 4, 48  
 Index of refraction, 513  
 Induced representations, 255–270, 310–311  
      $0_4 \uparrow O$  example, 259  
      $1_4 \uparrow O$  example, 265  
     for molecular bonding, 679  
 Induction  $\uparrow$ , 255–270. *See also* Correlation  
 Inertia matrix, for vibrations, 32  
 Infinitesimal rotations, 338  
 Infrared spectroscopy, 523  
     selection rules, 525  
 Inner product, *see* Scalar product  
 Internal symmetry breaking, *see* Spontaneous symmetry breaking  
 Invariant, *see* Scalar  
 Inverse:  
     formula for (Appendix B), 50–51  
     of matrix, 5, 9, 48  
 Inversion doublet, 130. *See also* Two-level system  
     related to  $O$  cluster, 270  
 $U_2$  theory, 628–629  
 Inversion operation, 113, 317  
 Irreducible idempotents  $P_i^a \equiv P_{ii}^a$ :  
     for  $C_{3v}$ , 166  
 Irreducible projectors  $P_{ij}^a$ :  
     for  $C_{3v}$ , 167–170  
     for  $O$ , 237–245  
     for  $R_3$ , 362–365  
     general formula, 180, 831–832  
     general properties, 217–221, 831–833  
 Irreducible representations, *see also* Appendix F.2  
     complex conjugate of, 464  
     derivation for  $C_{3v} \sim D_3$ , 175–177  
     derivation for  $C_{4v} \sim D_4$ , 191–193  
     derivation for  $C_{6v} \sim D_6$ , 197–200  
     derivation for  $O \sim T_d$ , 237–255  
     derivation for  $R_3$ , 338–353  
     derivation for  $R_4$ , 424
- derivation for  $U_3$ , 431  
 introduction for  $C_2$ , 79–82  
 introduction for  $C_3$ , 86  
 introduction for  $C_{3v} \sim D_3$ , 167  
 orthogonality, 363, 828–831
- Irreducible tensorial sets, *see* Tensor operators
- Irreps, *see* Irreducible representations
- Isomorphic, 114
- Isomorphism:  
     between  $C_2$  groups, 114  
     between  $C_{3v}$  and  $D_3$ , 154  
     between  $C_{4v}$  and  $D_4$ , 158  
     between  $O$  and  $T_d$ , 236
- Isotope shift ( $SF_6$ ), 299
- Isotropic solids, 485, 488
- Isotropic space, *see*  $R_3$  symmetry
- $j$ -cones, *see* Angular momentum cones
- $j$ -polarization, 357
- Jahn-Teller theorem, 541–542  
     dynamic effects, 543  
     potential, 544
- Jaynes-Cummings Hamiltonian, 777  
     eigensolutions, 781  
     levels, 782  
     modified, 780  
     transitions, 783
- Judd, B. R., 437
- Ket and bra vectors, *see* Dirac notation
- Kramer's rule for equations, 51
- Krohn, B. J., 535, 536, 537, 623, 683
- Kronecker delta  $\delta_{ab}$ , 38
- Kronecker product  $\otimes$ , *see also* Tensor product  
     of irreps, 446–450  
     of vectors, 13, 21
- Kronig-Penney potential, 128
- Lab and body reference, 167, 328–330,  
     378
- for  $C_{3v}$  projectors, 173, 174  
     for quantum rotors, 367
- Lab and body symmetry, 372
- Lagrange's theorem for classes, 161
- Lagrangian function, 689, 700  
     of em field, 723
- Lagrangian interpolation, 24, 25
- Laser, classical response, 520
- Legendre functions, 376  
     related to CG coefficient, 608
- Legendre transformation, 688  
     of Hamiltonian, 689
- Lenz-Runge vector, 416
- Level splitting, *see* Splitting of levels


- Lie algebras**, 315  
 of  $R_3$ , 341  
 of  $R_4$ , 418–420  
 of  $U_3$ , 427  
**Lie groups**, 315  
**Ligand orbitals**, 674–677  
**Linear independence**, 46  
**Linear polarization**, *see* **Plane polarization**  
**Lissajous figures**, 76, 644–647  
**Local symmetry**, 174, 258  
**Local symmetry conditions**, 258, 265, 287–289  
 in  $R_3$ , 373  
**Lorentz model of spectra**, 503  
 compared to quantum models, 738  
**Louck, J. D.**, 437, 578, 683  
**Lowering operators**, *see* **Boson or raising operators**  
  
**Magnetostriiction**, 491  
**Malette, Vincent**, 325, 331, 332  
**Maslov constant**, 140, 178  
**Mass matrix**, *see* **Inertia matrix**  
**Mathieu's equation**, 127  
**Matrices**:  
 inner multiplication, 8  
 introduction to, 1  
 transformation, 2  
**Matrix diagonalization**, *see* **Diagonalization**  
**Matrix representation**, *see* **Representation**  
**McDowell, R. S.**, 306, 535, 536, 537, 623  
**Minimal equation (MEq)**, 21–22  
**Minimum uncertainty states**, *see also*  
 Coherent states  
 of oscillator, 706  
**Minors**, 49  
**Mnemonic wheels for crystal  $j$ -splitting**:  
 $D_6$  integral  $j$ , 402  
 $D_6$  integral  $j$ , 410  
 $O$  integral  $j$ , 403  
 $O$  half-integral  $j$ , 415  
**Modes**, *see* **Normal coordinates**  
**Molecular orbital (MO) model**, 669  
 compared to VB, 673  
 sp-orbitals, 674  
 spd-octahedral orbitals, 679  
**Mollow lineshape**, 785  
**Moshinsky, M.**, 578, 683  
**Moving waves**, 89, 90, 103. *See also* Circular polarization  
 in  $C_{3v}$  symmetry, 184  
 in  $O_h$  symmetry, 300  
**Multipole expansions**, 394  
**Multipole functions**, *see also* **Spherical harmonics**  
 of  $O_3$ , 382, 611  
 of  $O_h$ , 383  
**NH<sub>3</sub>**, 131, 205–216  
**Nilpotent, irreducible**, 167  
**Nilpotent operator**, 52, 164  
**Nonsingular matrix**, 51  
**Normalizer**, 161  
**Normal modes or coordinates**, *see also*  
 Resonant modes  
 $C_2$  defined, 72–74  
 $C_3$  defined, 90  
 $C_{3v}$  defined, 182, 183  
 $C_n$  defined, 94, 95  
 $D_2$  defined, 108  
 introduction, 32–33  
 of NH<sub>3</sub>, 208  
 of SF<sub>6</sub>, 290, 300  
**Normal subgroups**, 255  
  
 $O$ , 227–235  
 $O_1$ , 234–235  
 $O_1$  or  $O_2$ , 315, 321–323  
 $O_3$  or  $O_3'$ , 315–321  
 $O_4$  or  $O_4'$  and  $R_4$ , 321, 418–427  
**Octahedral symmetry ( $O$ )**, 227–235  
**Omega vector**, *see also* **Darboux angles**  
 for 2-state Hamiltonian, 631–633  
 for 2-state resonance, 740–745  
 for 2D oscillator, 635–636, 641–646  
 geometry during resonance, 744, 757–758  
 in Bloch equations, 751  
 infinitesimal rotations, 338  
 rotation axis angles, 330–333  
 rotor angular velocity, 380–382  
**Optical polarization**, 629  
 circular polarization coordinates, 636–637  
 linear polarization coordinates, 636  
**Orbits of symmetry operations**, *see*  
 Symmetry orbits  
**Orthogonal**:  
 groups, 315. *See also*  $O_2$ ;  $O_3$ ; etc.  
 matrix, 9  
**Orthonormality**:  
 introduction to, 5  
 of irreducible characters, 833–835  
 of irreducible representations, 363, 828–831  
 of projectors, 23–25, 831–832  
 of wavefunctions, 38, 39  
**Oscillator**, *see also* **Resonance**, normal modes  
 coherent states, 706  
 coupled, 73–79  
 forced damped, 504–516  
 harmonic two-dimensional, 634–636,  
     641–649  
 in em field, 764–767  
**Lorentz**, 503  
 quantum, 704  
 strengths, 736–738





- Outer product ( $\times$ ) of groups:  
 applied to  $D_2 \sim C_2 \times C_2$ , 111  
 applied to  $D_{2h} \sim D_2 \times C_i$ , 204  
 applied to  $D_{3d} \sim D_3 \times C_i$ , 204  
 applied to  $D_6 \sim C_3 \times C_2$ , 197  
 applied to  $O_3 \sim R_3 \times C_i$ , 319  
 applied to  $O_h \sim O \times C_i$ , 235  
 defined, 110  
 of two-particle symmetries, 446, 450
- Outer product  $\otimes$ . *see* Tensor product; Kronecker product
- Overtones. *see* Vibrational overtones
- Parameter of Lie group  $O_r$ , 321  
 of  $R_3$ . *see* Euler angles
- Parameter theorem, 497
- Parity ( $O_3$ ), 352, 353
- Patterson, C. W., 378, 379, 623, 683, 684
- Pauli exclusion principle, 563, 666
- Pauli spinors, *see* Spinor operators;  
 Quaternions
- Permutations, 228
- Perturbations. *see* Symmetry breaking time dependent theory, 730–732
- Peterson, F. R., 623
- Phase velocity, 122, 690, 699
- Phasors:  
 for em field, 763  
 for forced oscillator, 504  
 for galloping waves, 103  
 in 2-state resonance, 742  
 in 2D oscillator model, 634  
 in  $C_3$  oscillator, 90  
 in  $C_n$  oscillators, 94  
 in radiation response, 522  
 introduction in  $C_2$  oscillator, 78, 79  
 related to coherent state, 706–711
- Phonon bands, 96, 99
- Photon “impotence”, 773
- Photon unit, 762
- Pi-bonds, 677
- Pine, A. S., 264, 673, 683
- Plane polarization. *see also* Standing waves coordinates  $x, y$ , 637  
 related to circular, 183, 250, 349, 393, 571, 637
- Plasma frequency, 513
- Plyler, E., 619
- Poincaré-Stokes vector, 629, 638  
 components, 640
- Point symmetry, 111  
 Abelian crystal, 112  
 non-Abelian crystal, 152
- Poisson’s ratio, 484
- Polarizability, 512, 514–516
- Polarizability, tensor, 527
- for Raman, 529–532
- Polarization coordinates, 636–640
- Potential energy, *see also* Acceleration matrix; Force matrix  
 introduction, 35–37  
 of  $C_2$  oscillator, 75
- Power broadening, 748
- Projection operators, *see also* Idempotents  
 commuting, 26, 109, 833–835  
 eigenvector projectors, 20–27  
 elementary definition, 13  
 general formula for group projectors, 180, 360  
 general properties, 217–220, 831–832  
 of  $C_2$ , 69–71, 79–81  
 of  $C_3$ , 86  
 of  $C_{3v} \sim D_3$ , 175  
 of  $C_{4v} \sim D_4$ , 192  
 of  $C_n$ , 93  
 of  $D_2$ , 106  
 of  $O \sim T_d$ , 237–255  
 of  $R_3$ , 362–365
- Projective representations, *see* Ray representations
- Quadrupole:  
 operator, 350, 497, 589  
 perturbation, 271
- Quantum rotor, *see* Rotor
- Quaternions, *see also* Spinors
- Quenching of orbitals, 122
- $R(3)$  or  $R_3$ , 315–321
- $R(4)$  or  $R_4$ , 415–425
- Rabi frequency ( $r$ ), 739, 743, 744, 746, 755
- Rabi-Ramsey-Schwinger spin picture, 633–634
- Rabi rotation, 643, 746
- Racah coefficients, 607, 794
- Racah, G., 682
- Radiation, *see also* Electromagnetic field  
 classical dipole, 518–519  
 mechanism (Feynman’s lever), 517
- Raising operators, 304, 435. *See also* Boson operators  
 in body frame, 367  
 in lab frame, 365, 436
- Raman scattering, 527–532  
 CSRS, 784–786  
 in JC model, 783  
 selection rules, 929
- Ramsauer-Townsend effect, 137
- Rank of group algebra, 166
- Rank of Lie algebra, 422
- Ray algebras, *see* Spin- $\frac{1}{2}$  algebras

- Rayleigh scattering, 514–520, 527  
in JC model, 783
- Ray representations, 349, 404, 408
- RE or RES, *see* Rotational energy surfaces
- Reciprocity relations, 481
- Reduced action, *see* Hamilton's characteristic function
- Reduced matrix element:  
for finite symmetry, 498  
for  $R_3$ , 597  
for rotor, 612  
for single electron, 603  
for two electrons, 605
- Reducible representations, 8, 178
- Reflections, 113, 317  
and Hamilton's turns, 154  
in  $C_{3v}$ , 153
- Regular representation, 170, 171  
of  $D_3 \sim C_{3v}$ , 170, 171  
of  $O$ , 270, 624  
of  $R_4$ , 420
- Renner effects, 543–544
- Representation, *see also* Irreducible representations  
of bra-ket vectors, 10–11  
of elementary  $e_{ij}$ , 13  
of operators, 12  
reduction, 81, 82, 88, 178–180, 386, 451
- Resolvants, 41
- Resonance:  
for 2-state system, 743–748  
for classical harmonic oscillator, 504–512  
in  $C_2$  scattering, 135  
in  $C_2$  system, 74–79  
in quantum transition, 735
- Resonant modes, *see also* Normal coordinates  
introduction, 32, 72–74
- Response function, 505, 510, 520–523  
for quantum transition, 736–738
- Root vectors, 423  
of  $R_4$ , 423  
of  $U_3$ , 430
- Rotating wave solutions, 743
- Rotational energy surfaces, 609–610  
of anharmonic 2D oscillator, 651–654  
of harmonic 2D oscillator, 649–650  
of rigid rotor, 610, 614  
of semi-rigid XY<sub>6</sub> rotors, 620, 627
- Rotational product formula, 355
- Rotation groups, *see*  $R_2$  or  $R_3$
- Rotation-inversion, 114
- Rotation matrices:  
irreducible (Wigner D-functions), 348–349  
xyz-basis, 379
- Rotor:  
level splitting of hexagonal rotor, 399–403
- level splitting of octahedral rotor, 397–398
- quantum levels, 365–372
- quantum wavefunctions, 362–365
- rigid rotor energy, 609–618
- semi-rigid octahedral, 618–627
- wavefunction propagation, 717–721
- SF<sub>6</sub>, 286, 289, 300, 306, 535
- SiF<sub>4</sub>, 314, 537, 623
- S-matrix, *see* Scattering matrix
- Scalar operators, for  $O_h$  symmetry, 494
- Scalar product:  
as coupling, 570  
elementary review, 45  
of bra-ket vectors, 11
- Scalar representation, 348  
in products, 464, 573
- Scattering matrix, 29  
in  $C_2$  system, 133, 138
- Schrödinger equations, 15, 115, 126, 128, 130  
in radiation field, 724, 726, 739  
related to 2D oscillator, 634
- semiclassical approximation, 700–701
- time dependent, 15, 115, 129, 260
- Schulten, K., 360, 569, 683
- Schur's lemma, 827–831
- Schwinger, J., 350, 437, 578
- Secular equation, 17  
problem 1.2.3, 56, 57
- Selection rules, 279, 499–502, 503  
for infrared, 525  
for Raman, 529
- Semiclassical quantization, 686, 700–722
- Shear modulus, 483
- Singular matrices, 51
- Smith chart, 511
- Spectral decomposition:  
of a matrix, 25–26  
of commuting matrices, 26  
with resolvants, 42
- Spectral function, 715  
for 2-state resonance, 746–747  
from perturbation theory, 733–734  
in quantum field, 769, 771
- Spectral nomogram, 500
- Spherical harmonics  $Y_m^{\ell}$ , 373–377. *See also*  
Multipole functions  
related to Legendre functions, 376  
related to Wigner-D functions, 374
- Spherical tops, *see* Rotors; SF<sub>6</sub>, SiF<sub>4</sub>; UF<sub>6</sub>
- Spin vector, 588, 631  
for 2D oscillator, 635  
as Stokes vector, 629
- Spin-½ algebras:  
for  $D_2$ , 411–412  
for  $D_6$ , 404–410  
for  $O$ , 413–415



Book page numbers	Ch.1 pdf. page numbers	Ch.2 pdf. page numbers	Ch.3 pdf. page numbers	Ch.4 pdf. page numbers	Ch.5 pdf. page numbers	Ch.6 pdf. page numbers	Ch.7 pdf. page numbers	Ch.8 pdf. page numbers
10	10	10	10	10	10	50	50	50
20	20	20	20	20	20	60	60	60
30	30	30	30	30	30	70	70	70
40	40	40	40	40	40	80	80	80
50	50	50	50	50	50	90	90	90
60	210	210	210	210	210	100	100	100
70	220	220	220	220	220	110	110	110
80	230	230	230	230	230	120	120	120
90	240	240	240	240	240	130	130	130
100	250	250	250	250	250	140	140	140
110	260	260	260	260	260	150	150	150
120	270	270	270	270	270	160	160	160
130	280	280	280	280	280	170	170	170
140	290	290	290	290	290	180	180	180
150	310	310	310	310	310	190	190	190
160	320	320	320	320	320	200	200	200
170	330	330	330	330	330	210	210	210
180	340	340	340	340	340	220	220	220
190	350	350	350	350	350	230	230	230
200	360	360	360	360	360	240	240	240
210	370	370	370	370	370	250	250	250
220	380	380	380	380	380	260	260	260
230	390	390	390	390	390	270	270	270
240	400	400	400	400	400	280	280	280
250	410	410	410	410	410	290	290	290
260	420	420	420	420	420	300	300	300
270	430	430	430	430	430	310	310	310
280	440	440	440	440	440	320	320	320
290	450	450	450	450	450	330	330	330
300	460	460	460	460	460	340	340	340
310	470	470	470	470	470	350	350	350
320	480	480	480	480	480	360	360	360
330	490	490	490	490	490	370	370	370
340	500	500	500	500	500	380	380	380
350	510	510	510	510	510	390	390	390
360	520	520	520	520	520	400	400	400
370	530	530	530	530	530	410	410	410
380	540	540	540	540	540	420	420	420
390	550	550	550	550	550	430	430	430
400	560	560	560	560	560	440	440	440
410	570	570	570	570	570	450	450	450
420	580	580	580	580	580	460	460	460
430	590	590	590	590	590	470	470	470
440	600	600	600	600	600	480	480	480
450	610	610	610	610	610	490	490	490
460	620	620	620	620	620	500	500	500
470	630	630	630	630	630	510	510	510
480	640	640	640	640	640	520	520	520
490	650	650	650	650	650	530	530	530
500	660	660	660	660	660	540	540	540
510	670	670	670	670	670	550	550	550
520	680	680	680	680	680	560	560	560
530	690	690	690	690	690	570	570	570
540	700	700	700	700	700	580	580	580
550	710	710	710	710	710	590	590	590
560	720	720	720	720	720	600	600	600
570	730	730	730	730	730	610	610	610
580	740	740	740	740	740	620	620	620
590	750	750	750	750	750	630	630	630
600	760	760	760	760	760	640	640	640
610	770	770	770	770	770	650	650	650
620	780	780	780	780	780	660	660	660
630	790	790	790	790	790	670	670	670
640	800	800	800	800	800	680	680	680
650	810	810	810	810	810	690	690	690
660	820	820	820	820	820	700	700	700
670	830	830	830	830	830	710	710	710
680	840	840	840	840	840	720	720	720

- Tetragonal symmetry, *see*  $C_{4v} \sim D_4$   
 Tetrahedral bonding, 675  
 Tetrahedral symmetry, *see*  $T_d$   
 Thomas-Reiche-Kuhn sum principle, 738  
 Transformation matrix, 2  
 Transient oscillations, 506  
 Translation operator, 705  
 Transpose (or transpose conjugate):  
   of differential operators, 40  
   of matrix, 9  
 Triangular condition, 568  
 Trigonal axes, 245  
 Trigonal bonding, 676  
 Trigonal moving-wave irreps, 251, 794  
 Trigonal standing-wave irreps, 244–248,  
   794  
 Trigonal symmetry, *see*  $C_{3v} \sim D_3$   
 Tunneling amplitude:  
   in  $C_2$  system, 130  
   in  $C_n$  system, 124  
   in  $O_h$  system, 257, 624  
   semiclassical, 141  
 Two-level system:  
    $C_2$ -like system, 129  
   parametrized by Euler angles, 630–631  
   related to  $O$  system, 270  
   relation to  $U_2 \sim R_3$ , 629  
   subject to resonant field, 738–747  
 Two particle states, 444  
   atomic  $(2p)^2$ , 561  
   spin  $\frac{1}{2}$ , 554  
  
 $U_2$  or  $U(2)$ , 315, 355  
 $U_3$  or  $U(3)$ , 315, 427  
 $UF_6$ , 297, 305, 536  
 Unitarity of  $S$ -Matrix, 29  
 Unitarity of transformation matrix, 9  
 Unitary:  
   eigensolutions of, 38, 39  
   groups, 315. *See also*  $U_2$  and  $U_3$   
 Unit matrix, *see* Identity matrix  
 Unit tensor operators, *see also* Elementary  
   operators  
   matrix, 9  
   properties, 15  
  
 Valence-bond (VB) model, 662–669  
   Heitler-London, 662  
   related to MO, 673  
 Vector or dipole operators, 586, 589

## Vector or dipole representation:

- of  $C_{3v}$  or  $D_3$ , 177, 178
- of  $O$  or  $O_h$  ( $T_{1u}$ ), 241, 244
- of  $R_3$ , 349
- tensorial properties, 467–469

## Vector product, 570

## Vector spaces:

- elementary review, 44–47

## Vibrational angular momentum:

- in 2D-model, 634

- in  $SF_6$ , 301

- in  $X_3$  molecule, 184

Vibrational modes, *see* Normal modes

## Vibrational overtones, 306, 526

- in  $SF_6$ , 535

- in  $SiF_4$ , 537

- in  $UF_6$ , 536

- quantum basis, 532

## Vibronic motion, 538, 546

Watson, J. K. G., 623, 683

Wave packets, *see* Coherent states

## Waves:

- galloping, 100–104

- moving, 89, 90

- standing, 87

## Weight vectors:

- of  $R_4$ , 425

- of  $U_3$ , 431

Wigner 3-j coefficients, *see also*

- Clebsch-Gordan

- definition, 576, 584

- symmetry, 577

Wigner D-functions, *see also* Rotor

- wavefunctions; Spherical harmonics

- as transformations, 364–366

- formula, 352, 790

- orthogonality, 363, 828–831

## Wigner-Eckart theorem:

- for finite symmetry, 497–498

- for  $R_3$ , 597, 608

## WKBJ approximation, 138

$Y$  or  $Y_h$ , *see*  $I$  or  $I_h$

Young's modulus, 484

Young tableau (for  $C_2$ ), 666, 670

Zeeman splitting, 195, 196

in molecular model, 371

Zero-point energy, 709

